

Aboriginal and Torres Strait Occupational therapy Islander health practice Optometry Chinese medicine Osteopathy Chiropractic Pharmacy Physiotherapy Medical radiation practice Podiatry Nursing and Midwifery Psychology

Australian Health Practitioner Regulation Agency

Dental

Medical

Breath testing log

Practitioner name

Logbook start date

Logbook finish date

This logbook and any documents attached to it are confidential and intended solely for the use of the named practitioner and AHPRA. Do not disseminate, distribute or copy this logbook.

If you have received this logbook in error notify AHPRA immediately on 1300 419 495.

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Reminder

If you have reached this page, please contact your local compliance officer and advise them that you require this logbook to be replaced.

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

Medical

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

Medical

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				

Practitioner name / То From

Breath alcohol supervisors should immediately notify the practitioner's case officer if they have any concerns about the practitioner's performance or conduct.

The practitioner must undertake breath alcohol testing (breath testing) in accordance with AHPRA's protocol for drug and alcohol screening (the protocol) as follows:

- a. No more than 30 minutes prior to the commencement of each and every period of practice, and
- **b.** No more than 30 minutes after the completion of each and every period of practice, and
- **c.** At any time within the practice period as directed by the case officer or breathalyser supervisor.

Where the result of a breath test undertaken is greater than 0.01% blood alcohol concentration the practitioner must not commence/immediately cease practice and must not return to practice that day. In the event of a cessation of practice due to a positive BAC result AHPRA must be notified immediately.



Aboriginal and Torres Strait Occupational therapy Islander health practice Physiotherapy Medical Medical radiation practice Nursing and Midwiferv

Australian Health Practitioner Regulation Agency

Dental

- **a.** the breath testing has been carried out in accordance with the operating procedure of the device
- **b.** you were present and directly observed the breath alcohol testing
- **c.** the information recorded in this log book is true and accurate. and
- **d.** your awareness that a breath alcohol supervisor may require breath alcohol testing at any time outside these requirements where a concern exists.

Date	Time	Location	Result	Signature of person administering breath test	Name of person administering breath test (please print)
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				
/ /	:				